



# NOVI ALATI



**SET ALATA SA  
IZOLACIJOM NA 1000V**




2

**KLEŠTA I NOŽEVI ZA KABLOVE  
IZOLOVANI NA 1000V**



5-6

**ODVRTAČI IZOLOVANI  
NA 1000V**



7

**MULTIFUNKCIJSKI  
RUČNI ALATI**



8

**SETOVI PRECIZNIH  
ALATA**



9

**KUTIJE ZA ALAT**



12

[WWW.TRACONELECTRIC.COM](http://WWW.TRACONELECTRIC.COM)

TRACON D.O.O., 24300 BAČKA TOPOLA, MORAVSKA 26

 024-712-503  TRACON@TRACON.CO.RS



# SETOVI ALATA SA IZOLACIJOM NA 1000V



## SET OKASTIH KLJUČEVA, IZOLOVANI NA 1000V, 9 KOMADA



**CSSET9**

## SET IMBUS I NASADNIH KLJUČEVA SA RAČNOM, IZOLOVANI NA 1000V, 16 KOMADA



**DSET16**

**TRACON**

**mm**

**CSSET9**

10, 11, 12, 13, 14, 17, 19, 21, 24

**DSET16**

4, 5, 6, 8 / 8, 10, 12, 13, 14, 17, 19, 22



# SETOVI ALATA SA IZOLACIJOM NA 1000V



## SET KLJUČEVA, IZOLOVANI NA 1000V, 20 KOMADA

**TRACON** mm

**VSET20**

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16,  
17, 18, 19, 21, 22, 24, 27, 30, 32

**VSET20**

## VSET7



## SET KLJUČEVA, IZOLOVANI NA 1000V, 7 KOMADA

**TRACON** mm

**VSET7**

8, 10, 12, 13, 14,  
17, 19





# SETOVI ALATA SA IZOLACIJOM NA 1000V



## SET IMBUS KLJUČEVA, IZOLOVANI NA 1000V, 6 KOMADA



**TRACON**

**mm**

**ISET6**

3, 5, 6, 8, 10, 12



# KLEŠTA IZOLOVANA NA 1000V



**CB-1000**



**CC-1000**



**CF-1000**



**CH-1000**



**CL-1000**




**CW-1000**


TRACON			
<b>CB-1000</b>	160 mm	230 g	Univerzalna klešta za guljenje
<b>CC-1000</b>	160 mm	240 g	Bočni sekač klešta
<b>CF-1000</b>	180 mm	306 g	Kombinovana klešta
<b>CH-1000</b>	165 mm	250 g	Klešta za rezanje kablova
<b>CL-1000</b>	200 mm	250 g	Pljosnata klešta
<b>CW-1000</b>	250 mm	500 g	Klešta za vodene pumpe



# NOŽEVI ZA KABLOVE, IZOLOVANI NA 1000V


**CK1**

**CK2**

**TRACON**

**CK1**

200 mm

49,7 mm

81 g

**CK2**

200 mm



49,7 mm

81 g



# ODVRTAČI IZOLOVANI NA 1000V



TRACON				
<b>CD2575</b>	⊖	2.5 × 75 mm	163 mm	49 g
<b>CD3100</b>	⊖	3 × 100 mm	188 mm	51 g
<b>CD35100</b>	⊖	3.5 × 100 mm	188 mm	55 g
<b>CD4100</b>	⊖	4 × 100 mm	188 mm	56 g
<b>CD55125</b>	⊖	5.5 × 125 mm	223 mm	75 g
<b>CD65150</b>	⊖	6.5 × 150 mm	258 mm	83 g
<b>CDPH060</b>	⊕	PH0 × 60 mm	148 mm	49 g
<b>CDPH180</b>	⊕	PH1 × 80 mm	178 mm	60 g
<b>CDPH2100</b>	⊕	PH2 × 100 mm	208 mm	72 g
<b>CDPZ060</b>	⊗	PZ0 × 60 mm	148 mm	49 g
<b>CDPZ180</b>	⊗	PZ1 × 80 mm	178 mm	60 g
<b>CDPZ2100</b>	⊗	PZ2 × 100 mm	208 mm	72 g
<b>CDT154100</b>	☆	T15 4 × 100 mm	188 mm	65 g
<b>CDT2055125</b>	☆	T20 5.5 × 125 mm	223 mm	70 g
<b>CDT2555125</b>	☆	T25 5.5 × 125 mm	223 mm	78 g



# MULTIFUNKCIJSKA KLEŠTA


**MF1**

**MF2**

**MF3**

**TRACON**
**DÉNOMINATION**





<b>MF1</b>	kombinovana klešta	215 mm	1 -10 mm <sup>2</sup>	324 g
<b>MF2</b>	ravna klešta	215 mm	1 -6 mm <sup>2</sup>	259 g
<b>MF3</b>	bočni sekač klešta	195 mm	1 -6 mm <sup>2</sup>	255 g











# SET ODVRTAČA

**PRECIZNI ODVIJAČ SA RAČNOM,  
SA UGRAĐENIM ZAMENSKIM GLAVAMA (10 BIT)**

<b>TRACON</b>			
<b>APCS10</b>	00/0/1	1.5/2.0/3.0	T5/T6/T8/T10


**SET PRECIZNIH ODVIJAČA SA RAČNOM (20 BIT)**



<b>TRACON</b>						
<b>PCS22</b>	000/00/0	1.0/1.5/2.0/2.5	T4/T5/T6/T8/T10	2.0/2.5/3.0	P2/P5/P6	Y0/Y1



# SET OSTALIH ALATA



## SET PRECIZNIH ALATA (46 BIT)




**PCS49**

## UNIVERZALNI SET BITOVA SA RAČNOM I SA T-GLAVOM



**RK23**

TRACON								
<b>PCS49</b>	000 / 00 / 0 / 1/2	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0	T4 / T5 / T6 / T7 / T8 / T9 / T10 / T15	0.7 / 0.9 / 1.3 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0	—	0 / 1	PZ0 / PZ1	2.0 / 2.2
<b>RK23</b>	1 / 2 / 3	4 / 6	T15 / T20 / T25 / T27	4 / 5 / 6	5 / 6 / 8 / 10 / 12 / 13	—	—	—



## SET OSTALIH ALATA




### SET KUKA (5 BIT)



TRACON

KA5



- Magnetna glava
- Materijal: bakar
- Podesiva dužina između 175 - 380 mm

### ALAT ZA MEGNETIZIRANJE

TRACON


MAG2

MAX  
6.35  
mm



#### Uputstvo

Stavite glavu odvijača u magnetizator




#### Prednosti

Glava automatski prati veličinu glave.

Može se koristiti za sve tipove glave ispod prečnika 6,35 mm.

Materijal:  
PC+N35  
magnet





# TORBE ZA ALAT



**BAGSE1**



440 × 240 × 240 mm

**BAGSE2**



415 × 250 × 300 mm

**[WWW.TRACONELECTRIC.COM](http://WWW.TRACONELECTRIC.COM)**

TRACON D.O.O., 24300 BAČKA TOPOLA, MORAVSKA 26

 024-712-503  [TRACON@TRACON.CO.RS](mailto:TRACON@TRACON.CO.RS)